(Lithodes maja)

MarLIN – Marine Life Information Network
Marine Evidence-based Sensitivity Assessment (MarESA) Review

Emily Wilson

2006-10-25

A report from:

The Marine Life Information Network, Marine Biological Association of the United Kingdom.

Please note. This MarESA report is a dated version of the online review. Please refer to the website for the most up-to-date version [https://www.marlin.ac.uk/species/detail/1278]. All terms and the MarESA methodology are outlined on the website (https://www.marlin.ac.uk)

This review can be cited as:

Wilson, E. 2006. Lithodes maja. In Tyler-Walters H. and Hiscock K. (eds) Marine Life Information Network: Biology and Sensitivity Key Information Reviews, [on-line]. Plymouth: Marine Biological Association of the United Kingdom. DOI https://dx.doi.org/10.17031/marlinsp.1278.1



The information (TEXT ONLY) provided by the Marine Life Information Network (MarLIN) is licensed under a Creative Commons Attribution-Non-Commercial-Share Alike 2.0 UK: England & Wales License. Note that images and other media featured on this page are each governed by their own terms and conditions and they may or may not be available for reuse. Permissions beyond the scope of this license are available here. Based on a work at www.marlin.ac.uk







See online review for distribution map

Distribution data supplied by the Ocean Biogeographic Information System (OBIS). To interrogate UK data visit the NBN Atlas.

Lithodes maia

This information is not

Researched by	Emily Wilson	Refereed by	refereed.
Authority	(Linnaeus, 1758)		
Other common		•	1.41

Summary

names

Description

Photographer: Richard Smith

Copyright: Richard Smith

A large crab with a well-calcified carapace with a width up to 12 cm. The carapace is almost circular with a well-defined rim of irregular spines. These spines are scattered on the back and legs. The right pincer is larger than the left and the fifth legs are small and hidden.

Synonyms

Q Recorded distribution in Britain and Ireland

A northern species, the majority of records limited to the northern North Sea and northern Scotland and England but with a few records off south-west England.

Global distribution

Recorded from northern Norway and the North Sea, into the Kattegat and south-west of England in the North East Atlantic, and from the Davis Strait south to Carolina in the North West Atlantic.

Found on open coasts and offshore from 10-1000 m.

\downarrow Depth range

10 - 1000 m

Q Identifying features

- Carapace width 12 cm, circular, well-defined rim of irregular spines.
- Right chela larger than left.
- Fifth pereopods very small and hidden.
- Abdomen, particularly of female, strongly asymmetrical.

Additional information

-none-

✓ Listed by

% Further information sources

Search on:



Bibliography

Hayward, P.J. & Ryland, J.S. (ed.) 1995b. *Handbook of the marine fauna of North-West Europe*. Oxford: Oxford University Press. Howson, C.M. & Picton, B.E., 1997. *The species directory of the marine fauna and flora of the British Isles and surrounding seas*. Belfast: Ulster Museum. [Ulster Museum publication, no. 276.]

Datasets

Environmental Records Information Centre North East, 2018. ERIC NE Combined dataset to 2017. Occurrence dataset: http://www.ericnortheast.org.uk/home.html accessed via NBNAtlas.org on 2018-09-38

NBN (National Biodiversity Network) Atlas. Available from: https://www.nbnatlas.org.

OBIS (Ocean Biogeographic Information System), 2019. Global map of species distribution using gridded data. Available from: Ocean Biogeographic Information System. www.iobis.org. Accessed: 2019-03-12